



"Results You Can Count On"

**Model 458-LM-E1-36-04
Multi-Standard Local Loop Simulator
Supports VDSL2 Profile 35b and TR-114i3**

- **Simulates PE04 as specified in ETSI TS 101 388**
- **Bandwidth DC to 36 MHz**
- **Line lengths from 0 – 9,000 m in 10-m steps**
- **Solution for ADSL, ADSL2, ADSL2+, & VDSL2 (including Profile 35b)**
- **Ideal for testing TR-114 Issue 3**
- **Plugs into our Model 458-CC (16-slot) or 458-3SLB (3-Slot) chassis**
- **Loop Lengths controlled manually via front panel of chassis, or remotely via RS-232, Ethernet, IEEE-488 (GPIB), or 458 Universal GUI**



The Model 458-LM-E1-36-04 Multi-Standard Local Loop Simulator is the ideal solution for ADSL, ADSL2, ADSL2+, and VDSL2 chip/modem/DSLAM testing. This single-pair loop simulator can simulate PE04 for ADSL, ADSL2, ADSL2+ and VDSL2 (including Profile 35b).

This versatile local loop simulator is plugged into our Model 458-3SLB (3-Slot) or 458-CC-16 (16-Slot) chassis where settings are controlled by a convenient keypad located on the front, RS-232, Ethernet or IEEE-488(GPIB). In addition, the user-friendly 458 Universal GUI may be used for remote control. The modular design of Telebyte's products allows the 458-LM-E1-36-04 to be combined with other line modules for a wide variety of test configurations.



Model 458-LM-E1-36-04
Multi-Standard Local Loop Simulator
(continued)

“Results You Can Count On”

Product Specifications	
Simulation	<ul style="list-style-type: none">• Accurately simulates attenuation and impedance• Full bidirectional operation at all specified frequencies• PE04 as specified in ETSI TS 101 388
Bandwidth	0.4mm PE: DC to 36 MHz
Attenuation Accuracy	TR-114 Issue 3 PE04 test loops (150m, 300m, 450m, 750m, 900m, 1050m, 1200m, 1500m, 1800m) MAE < 0.5dB All other loop lengths PE04: Typically MAE < 1 dB 20 kHz to 36 MHz (when source and load impedances are 100 ohms)
Maximum Attenuation	> 90 dB
Impedance Accuracy	Typically +/- 10%
Maximum Voltage Tip – Ring	200 V
Maximum Current	130 mA
Connectors	2 RJ-45's on front

Specifications are subject to change without notice. Made in USA.